

THE TALON® SPLINT

Comfortable - Retentive - Adjustable

Splints come in a variety of designs. Traditionally, they have been made from a hard acrylic or a soft, polyvinyl material. The hard acrylic splints provide the patient with an adjustable occlusal surface but usually require substantial chair time to make the appliance fit comfortably. The soft splints, although more comfortable for the patient, do not lend themselves to adjustment and repair.

The Talon® Splint offers the best features of a hard splint and a soft splint while eliminating these disadvantages.

» Practice Potential:

Splints are being used in the general practice to achieve a variety of objectives:



Abnormal Occlusal Wear


- Bruxism Splints are used to prevent excessive tooth wear, tooth mobility, and loss of tissue attachment.¹

- After periodontal surgery, splints are used to distribute forces, decrease trauma, and aid in the healing process.¹

- In orthodontics, they are used as a form of final stabilization.¹

- Splints are used to treat patients with TMJ dysfunction, i.e. patients who suffer from local (neck, shoulder or sinus) pain, clicking in the joints, pronounced malocclusion, impaired excursion in opening of the mouth or deviant motions of the jaw.

» Description:



The term "Talon"® refers to the material used for the retentive portion of the splint. Talon® is a soft, thermoplastic, resilient polymer. Unlike other thermoplastics currently available, it maintains its original flexibility* for years. This material is very retentive and eliminates the need for any other form of mechanical retention.

Once the Talon® material is processed, hard acrylic is then chemically bonded to the Talon® material to form the occlusal surface of the splint.

Precise occlusal adjustments can easily be accomplished due to the hard occlusal surface. This allows you to maintain a proper proprioceptive response with the opposing dentition.²

Important – the "Talon®" technique can be utilized for all splint designs, i.e., Gelb, MORA, May, Sears, Jankelson, Tanner, etc.

*Shore Hardness Tests performed by Braun Intertec Northwest, Inc.

» Indications:


The Talon® splint will benefit every patient in your practice needing a splint for bruxism, periodontal splinting, orthodontic stabilization, or TMJ dysfunction.

The Talon® Splint should be used when you need:

1. A splint with a superior fit – the soft nature of the retentive portion of the appliance completely elimi-

nates pressure points and thus the patient adapts immediately. No longer will you have to spend time trying to find "tight spots" on the appliance and your delivery appointments will be much shorter.

2. Positive retention without the use of metal clasps.
3. The ultimate in comfort – a Talon® Splint has the best features of a soft splint yet it allows for excursive movements free of the friction inherent in polyvinyl splint designs.³
4. An appliance that can be made in a manner that will not interfere with your patient's ability to speak normally. Because retention is superior, this appliance can be designed without speech inhibiting lingual extensions. This is greatly appreciated by your adult patients.



The Talon® Splint

» Treatment Procedures:

1. Every patient who needs a splint should have a comprehensive dental examination.⁴ This should include:
 - A. A complete medical and dental history.
 - B. A thorough dental exam
 - C. An occlusal analysis
 - D. An orthodontic survey
 - E. A TMJ screening

2. All caries and necessary restorative work should be completed before impressions for a splint are taken.
3. TMJ patients should have a complete TMJ work up. Radiographic techniques such as a transcranial or a tomogram should be used for the purpose of confirming your clinical diagnosis.
4. Upon delivery of the appliance, do any needed occlusal adjustments.
5. Discuss with the patient how to insert, remove, and care for the appliance.

» Lab Requirements:

1. Accurate casts poured in stone. Air bubbles or holes on tooth surfaces are unacceptable as they can negatively affect the fit of the appliance.
2. Provide a carefully taken construction bite that represents the exact vertical and AP position that you desire in the finished appliance. This is the single most important step to successful treatment after making the correct diagnosis.⁵
3. Detailed instructions as to how you would like the occlusal indexing, cuspid and/or anterior rise, etc.

» Lab Fee:

The slightly higher cost, \$112.00 per arch, is more than offset by savings in chair time for adjustment and in patient compliance due to the increased comfort and stability.

» Supply List:

- ☐ Alginate*
- ☐ Mixing bowl and spatula*
- ☐ Water
- ☐ Dental Stone
- ☐ Compression trays*
- ☐ Bite registration material*
- ☐ Acrylic burs*
- ☐ Articulation paper
- ☐ Per-Fect Bites*
- ☐ Construction Bites*

*Available from Success Essentials

» Adjustment Tips:

The self adjusting nature of the thermoplastic Talon® material all but eliminates the need for a long and tedious adjustment session. My experience is that it easily saves 15 to 20 minutes of grinding during the initial seating of the appliance.

Adjustments for opposing arch contact with the splint should be minimal provided that an accurate construction bite is sent to the lab with the working models.

Patients should be checked after the first week of wearing the splint. Any remaining occlusal and lateral interferences can be quickly removed at this time.

» Care for the Appliance:

It is essential that the patient is instructed in the proper care of the Talon® splint. This includes the following guidelines:

1. It is **VERY IMPORTANT** to have the patient soften the appliance under warm tap water prior to its placement.
2. Never allow the appliance near high temperatures or allow it to dehydrate for more than 24 hours.
3. The appliance should be kept moist when not in use. A retainer case works nicely. The patient should simply place the appliance in the case with a small piece of wet paper towel.



4. The appliance should be hardened under cold tap water prior to cleaning. Brushing with a soft brush and toothpaste, or soaking in denture cleaner, is all that is needed.
5. Removal of the appliance is best accomplished by using equal pressure on both sides of the mouth. This will minimize the chance of damage to the resilient portion of the appliance.

» Contra Indications & Concerns

All new or recurrent caries should be treated prior to the fabrication of the Talon® splint. The decay process could be accelerated if the splint is worn over carious lesions.

As with all appliances, patients should be checked on a regular basis to be sure your treatment objectives are being met.

When treating TMJ dysfunction, it is essential to take proper records, which should include a pre-treatment image of the TMJ (a transcranial or tomogram).

» Customary Fee Range:

Fees vary greatly depending upon the condition being treated, i.e. Bruxism splint - \$500 to \$800, TMJ splints- \$500 to \$1,500 or more depending on the diagnostic, therapeutic, and restorative procedures required.

» Income Potential:

Just one splint of any type per week will add over \$20,000 to your bottom line at year's end. If you choose to do TMJ therapy, one patient per month will add an additional \$40,000 or more.

Using the Talon® technique will save you chair time which will allow you to provide splint treatment more effectively and efficiently thereby further improving your gross production.

By Rob Veis D.D.S.
Director-Practice Development

» References:

- 1 Marks, Corn: Atlas of Adult Orthodontics, Philadelphia, Lea & Febiger, 1989. Chapter 5, pp. 147-159.
- 2 Talon® Laboratory Technique Manual: Thermoplastic Resilient Polymer for Interocclusal Dental Appliances.
- 3 Okeson, J.P.: Fundamentals of Occlusion and Temporomandibular Disorders, St. Louis, C.V. Mosby Co., 1985. Pgs 355-356.
- 4 Gelb, H.: Clinical Management of Head, Neck and TMJ Pain and Dysfunction, Philadelphia, W.B. Saunders, 1985. Pgs 73-116.
- 5 Space Maintainers Laboratory: Manual of Orthodontic and Pedodontic Appliances, 1990. Technical Bulletin - The Taking of a Proper Construction Bite.

The Practice Building Bulletin is a special service of Space Maintainers Laboratory produced solely for the private use of our clients. It is designed to help expand and enhance your ability to provide comprehensive patient care. Information included is the opinion of the author and may not be reproduced in any form without written consent.

Appliance Therapy Group Headquarters:
Space Maintainers Laboratory

Regional Labs:

SML Contact 800-423-3270